

RAW LINSEED OIL

BSS 243

A natural vegetable oil which penetrates, nourishes and protects unsealed wood. Ideal for oak beams, cricket bats etc.

Preparation: Ensure that the surface to be treated is clean & dry, wipe with white spirit to remove any grease. Can only be applied to bare wood or previously oiled wood, not to paint / varnished surface.

Application: Apply liberally by using a lint free cloth or brush. Allow to absorb for 20 minutes then remove excess and allow 24 hours between coats. It is recommended to normally apply minimum 3 coats or more until the desired finish is achieved. As this natural product is slow drying after the last coat allow 6-7 days under normal drying conditions to cure. The product can be diluted for the first application 1:1 with white spirits to improve absorption. Regular re-oiling will be required for some applications. Coverage will depend upon substrate porosity but typically 8 - 12 square metres per litre.

Note: Do not leave soiled application cloths where they may constitute a fire risk, as they are liable to spontaneous combustion. Immediately after use, saturate all soiled cloths with water and dispose of safely outside the home.

Clean equipment with Barrettime White Spirit. Replace cap firmly. Store away from heat and flames. Keep container upright and secure at all times.

HEALTH, SAFETY & ENVIRONMENTAL INFORMATION

- Keep out of reach of children.
- Store locked up in cool, well ventilated area. Keep container tightly closed.
- After contact with skin, wash immediately with soap and water.
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- Dispose of contents/container in accordance with local/regional/national/international regulations.

Barrettine

St. Ivel Way, Warmley, Bristol. BS30 8TY

T: +44 (0) 117 960 0060

F: +44 (0) 117 935 2437

E: sales@barrettine.co.uk

www.barrettinePro.co.uk

Group Website: www.barrettine.co.uk



5 015861 230034