Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2016/918



SAFETY DATA SHEET

Zinsser AllCoat® Exterior Satin

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name

: Zinsser AllCoat® Exterior Satin

Product description : Paint. **Product type** : Liquid. UFI

: 8ASQ-XCUW-1KKQ-TD5E

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses | | |
|--|--------|--|
| Consumer use Industrial use Professional use | | |
| Uses advised against | Reason | |
| None identified. | - | |

1.3 Details of the supplier of the safety data sheet

Manufactured under license in the UK by Tor Coatings Limited Portobello Industrial Estate Birtley County Durham United Kingdom DH3 2RE Telephone no.: +44 (0) 191 4106611 Fax no.: +44 (0) 191 4920125 enquiries@tor-coatings.com e-mail address of person : rpmeurohas@rustoleum.eu

responsible for this SDS

1.4 Emergency telephone number

Supplier

Telephone number : +44 (0) 207 858 1228 Hours of operation 24/7

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

SECTION 2: Hazards identification

| Signal word | 1 | No signal word. |
|---|----|---|
| Hazard statements | 4 | Harmful to aquatic life with long lasting effects. |
| Precautionary statements | | |
| General | : | P102 - Keep out of reach of children. P103 - Read label before use. P101 - If medical advice is needed, have product container or label at hand. |
| Prevention | : | P273 - Avoid release to the environment. |
| Response | 1 | Not applicable. |
| Storage | : | Not applicable. |
| Disposal | : | P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Hazardous ingredients | 1 | Not applicable. |
| Supplemental label elements | : | Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one and Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : | Not applicable. |
| Special packaging requirem | en | <u>ts</u> |
| Containers to be fitted with child-resistant fastenings | : | Not applicable. |
| Tactile warning of danger | 1 | Not applicable. |
| 2.3 Other hazards | | |
| Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII | : | This mixture does not contain any substances that are assessed to be a PBT or a vPvB. |
| Other hazards which do | ÷ | None known. |

not result in classification

SECTION 3: Composition/information on ingredients

| | N/IIVturo |
|---|-----------|
| | Mixture |
| _ | |

| | | | Classification | |
|-------------------------------|---|------------------------|---|---------|
| Product/ingredient name | Identifiers | % | Regulation (EC) No. 1272/2008 [CLP] | Туре |
| propane-1,2-diol | REACH #: 01-2119456809-23 EC: 200-338-0 CAS: 57-55-6 | ≤3 | Not classified. | [2] |
| diuron (ISO) | EC: 206-354-4 CAS: 330-54-1 Index: 006-015-00-9 | ≤0,3 | Carc. 2, H351 STOT RE 2, H373 | [1] [2] |
| pyrithione zinc | EC: 236-671-3 CAS: 13463-41-7 | ≤0,1 | Acute Tox. 3, H301 Acute Tox. 3, H331 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=10) | [1] |
| Date of issue/Date of revisio | n : 4/07/2019 | Date of previous issue | : 4/07/2019 Version : 3.0 | 1 2/14 |

SECTION 3: Composition/information on ingredients

| | | | _ | |
|--------------|---------------------|------|--|---------|
| diuron (ISO) | EC: 206-354-4 | ≤0,1 | Acute Tox. 4, H302 | [1] [2] |
| | CAS: 330-54-1 | | Aquatic Acute 1, H400 (M=10) | |
| | Index: 006-015-00-9 | | Aquatic Chronic 1, H410 (M=10) | |
| | | | See Section 16 for the full text of the H statements declared above. | |
| | | | | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General | : | In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. |
|----------------------------|---|---|
| Eye contact | : | Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. |
| Inhalation | : | Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. |
| Skin contact | : | Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners. |
| Ingestion | : | If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

4.2 Most important symptoms and effects, both acute and delayed

The mixture has been assessed following the conventional method of the CLP Regulation (EC) No 1272/2008 and is classified for toxicological properties accordingly. See Sections 2 and 3 for details.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Over-exposure signs/symptoms

| Eye contact | 1 | No specific data. |
|--------------|---|-------------------|
| Inhalation | 1 | No specific data. |
| Skin contact | 1 | No specific data. |
| Ingestion | : | No specific data. |

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

3/14

SECTION 4: First aid measures

Specific treatments

: No specific treatment.

See toxicological information (Section 11)

| SECTION 5: Firefighting measures | | |
|---|-----|---|
| 5.1 Extinguishing media | | |
| Suitable extinguishing media | 1 | Recommended: alcohol-resistant foam, CO ₂ , powders, water spray. |
| Unsuitable extinguishing media | : | Do not use water jet. |
| 5.2 Special hazards arising f | rom | the substance or mixture |
| Hazards from the substance or mixture | : | In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. |
| Hazardous thermal decomposition products | : | Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides |
| 5.3 Advice for firefighters | | |
| Special protective actions for fire-fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| Additional information | : | No unusual hazard if involved in a fire. |

SECTION 6: Accidental release measures

| 6.1 Personal precautions, pro | ote | ctive equipment and emergency procedures |
|--------------------------------|-----|---|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |
| 6.3 Methods and material for | cc | ontainment and cleaning up |

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

SECTION 6: Accidental release measures

| Large spill | : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. |
|---------------------------------|---|
| 6.4 Reference to other sections | : See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. |

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance.

| 7.1 Precautions for safe handling | Keep away from heat, sparks and flame. Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates, spray or mist arising from the application of this mixture. Avoid inhalation of dust from sanding. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel. Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws. |
|-----------------------------------|---|
| | When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. |

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations.

Notes on joint storage

Keep away from: oxidising agents, strong alkalis, strong acids.

Additional information on storage conditions

Observe label precautions. Do not store below the following temperature: 0°C (32°F). Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight. Keep away from sources of ignition. No smoking. Prevent unauthorised access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s) Recommendations

: Not available.

Industrial sector specific solutions

- ific : Not available.

SECTION 8: Exposure controls/personal protection

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

SECTION 8: Exposure controls/personal protection

| Product/ingredie | ent nai | me Exposure limit values |
|---|---|--|
| propane-1,2-diol diuron (ISO) | | EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Particulate TWA: 474 mg/m ³ 8 hours. Form: Sum of vapour and particulates TWA: 150 ppm 8 hours. Form: Sum of vapour and particulates EH40/2005 WELs (United Kingdom (UK), 12/2011). |
| diuron (ISO) | | TWA: 10 mg/m ³ 8 hours. EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. |
| Recommended monitoring procedures | at of pr th lir at of (V fo do | this product contains ingredients with exposure limits, personal, workplace mosphere or biological monitoring may be required to determine the effectivenes the ventilation or other control measures and/or the necessity to use respiratory otective equipment. Reference should be made to monitoring standards, such a e following: European Standard EN 689 (Workplace atmospheres - Guidance fo e assessment of exposure by inhalation to chemical agents for comparison with nit values and measurement strategy) European Standard EN 14042 (Workplace mospheres - Guide for the application and use of procedures for the assessment exposure to chemical and biological agents) European Standard EN 482 Vorkplace atmospheres - General requirements for the performance of procedure r the measurement of chemical agents) Reference to national guidance ocuments for methods for the determination of hazardous substances will also be equired. |
| DNELs/DMELs | | |
| No DNELs/DMELs available | e. | |
| PNECs No PNECs available | | |
| .2 Exposure controls | | |
| Appropriate engineering controls | ac th | rovide adequate ventilation. Where reasonably practicable, this should be chieved by the use of local exhaust ventilation and good general extraction. If ese are not sufficient to maintain concentrations of particulates and solvent apours below the OEL, suitable respiratory protection must be worn. |
| Individual protection measured | ures | |
| Hygiene measures | ea Aj W | ash hands, forearms and face thoroughly after handling chemical products, befo ating, smoking and using the lavatory and at the end of the working period. opropriate techniques should be used to remove potentially contaminated clothing ash contaminated clothing before reusing. Ensure that eyewash stations and afety showers are close to the workstation location. |
| Eye/face protection | as ga ur | afety eyewear complying with an approved standard should be used when a risk seessment indicates this is necessary to avoid exposure to liquid splashes, mists ases or dusts. If contact is possible, the following protection should be worn, nless the assessment indicates a higher degree of protection: safety glasses with de-shields. Recommended: safety glasses with side-shields (EN 166) |
| Skin protection | | |
| Hand protection | | |
| combination of chemicals The breakthrough time m The instructions and infor replacement must be follo Gloves should be replace Always ensure that gloves | s. iust be matior owed. ed regu s are f | or combination of materials that will give unlimited resistance to any individual or greater than the end use time of the product. In provided by the glove manufacturer on use, storage, maintenance and alarly and if there is any sign of damage to the glove material. There from defects and that they are stored and used correctly. It is of the glove may be reduced by physical/chemical damage and poor |

maintenance.

Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

SECTION 8: Exposure controls/personal protection

| - | |
|---------------------------------|--|
| Gloves | : For prolonged or repeated handling, use the following type of gloves: |
| | Recommended: > 8 hours (breakthrough time): nitrile rubber (0.5mm) |
| | The recommendation for the type or types of glove to use when handling this product is based on information from the following source: |
| | EN 374 |
| | The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Wear overalls or long sleeved shirt. (EN 467) |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: organic vapour (Type A) and particulate filter (EN 141). |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physica | l a | nd chemical properties | | | |
|---|-----|---|--|--|--|
| Appearance | | | | | |
| Physical state | : | Liquid. | | | |
| Colour | : | lot available. | | | |
| Odour | : | aint odour. | | | |
| Odour threshold | : | Not available. | | | |
| рН | : | Not available. | | | |
| Melting point/freezing point | : | 0°C | | | |
| Initial boiling point and boiling range | 1 | >100°C | | | |
| Flash point | : | [Product does not sustain combustion.] | | | |
| Evaporation rate | : | <1 (butyl acetate = 1) | | | |
| Flammability (solid, gas) | : | Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat and shocks and mechanical impacts. Non-flammable but will burn on prolonged exposure to flame or high temperature. | | | |
| Upper/lower flammability or explosive limits | 1 | Not applicable. | | | |
| Vapour pressure | : | 2,3 kPa [room temperature] | | | |
| Vapour density | : | >1 (Air = 1) | | | |
| Relative density | : | 1,11 to 1,27 | | | |
| Solubility(ies) | 1 | : Soluble in the following materials: cold water and hot water. Very slightly soluble in the following materials: methanol and acetone. | | | |
| Partition coefficient: n-octanol/ water | 1 | Not available. | | | |
| Auto-ignition temperature | : | Not available. | | | |
| Decomposition temperature | : | Not available. | | | |
| Date of issue/Date of revision | : 4 | V07/2019 Date of previous issue : 4/07/2019 Version : 3.01 7/14 | | | |

SECTION 9: Physical and chemical properties

Viscosity

- : Not available.
- **Explosive properties**
- : Not applicable.
- **Oxidising properties**
- : Not available.
- 9.2 Other information

No additional information.

| SECTION 10: Stability and reactivity | | | |
|--|---|--|--|
| 10.1 Reactivity | : No specific test data related to reactivity available for this product or its ingredients. | | |
| 10.2 Chemical stability | : Stable under recommended storage and handling conditions (see Section 7). | | |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. | | |
| 10.4 Conditions to avoid | : When exposed to high temperatures may produce hazardous decomposition products. | | |
| 10.5 Incompatible materials | : Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids. | | |
| 10.6 Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. If involved in a fire, toxic gases including CO, CO2 and smoke can be generated. | | |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|---------------------------------------|--------------------------------|---------|------------|----------|
| diuron (ISO) | LD50 Dermal | Rat | >5 g/kg | - |
| , , , , , , , , , , , , , , , , , , , | LD50 Oral | Rat | 1 g/kg | - |
| | LD50 Oral | Rat | 4150 mg/kg | - |
| pyrithione zinc | LC50 Inhalation Dusts and | Rat | 140 mg/m³ | 4 hours |
| | mists LD50 Dermal | Rabbit | 100 mg/kg | - |
| | LD50 Oral | Rat | 177 mg/kg | - |
| diuron (ISO) | LD50 Dermal | Rat | >5 g/kg | - |
| | LD50 Oral | Rat | 1 g/kg | - |
| | LD50 Oral | Rat | 4150 mg/kg | - |
| Conclusion/Summary | : Based on available data, the | | 0 0 | - |

Acute toxicity estimates

Not available.

Irritation/Corrosion

| Conclusion/Summary | |
|---------------------------|---|
| Skin | : Based on available data, the classification criteria are not met. |
| Eyes | : Based on available data, the classification criteria are not met. |
| Respiratory | : Based on available data, the classification criteria are not met. |
| Sensitisation | |
| Conclusion/Summary | |
| Skin | : Based on available data, the classification criteria are not met. |
| | |

Date of issue/Date of revision : 4/07/2019 Date of previous issue : 4/07/2019 Version : 3.01 8/14

SECTION 11: Toxicological information

| Respiratory | : Based on available data, the classification criteria are not met. |
|-----------------------------|---|
| Mutagenicity | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Reproductive toxicity | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Teratogenicity | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Specific target organ toxic | <u>ity (single exposure)</u> |
| Not available. | |

Specific target organ toxicity (repeated exposure)

| Product/ingredient name | Category | Route of exposure | Target organs |
|-------------------------|------------|-------------------|----------------|
| diuron (ISO) | Category 2 | Not determined | Not determined |

Aspiration hazard

Not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Short term exposure | |
|--------------------------------|---|
| Potential immediate effects | Not available. |
| Potential delayed effects | Not available. |
| Long term exposure | |
| Potential immediate effects | Not available. |
| Potential delayed effects | Not available. |
| Potential chronic health eff | <u>s</u> |
| Not available. | |
| Conclusion/Summary | Based on available data, the classification criteria are not met. |
| General | No known significant effects or critical hazards. |
| Carcinogenicity | No known significant effects or critical hazards. |
| Mutagenicity | No known significant effects or critical hazards. |
| Teratogenicity | No known significant effects or critical hazards. |
| Developmental effects | No known significant effects or critical hazards. |
| Fertility effects | No known significant effects or critical hazards. |
| Other information | Not available. |

Other information

SECTION 12: Ecological information

12.1 Toxicity

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is classified for eco-toxicological properties accordingly. See Sections 2 and 3 for details.

SECTION 12: Ecological information

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|--|---|----------------------|
| diuron (ISO) | Acute EC50 2,26 µg/l Marine water | Algae - Coccolithus huxleyi - Exponential growth phase | 72 hours |
| | Acute EC50 0,0007 mg/l Fresh water | Algae - Pseudokirchneriella subcapitata | 96 hours |
| | Acute EC50 1000 µg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 380 µg/l Fresh water | Crustaceans - Gammarus lacustris | 48 hours |
| | Chronic NOEC 0,54 µg/l Marine water | Algae - Coccolithus huxleyi - Exponential growth phase | 72 hours |
| | Chronic NOEC 33,4 µg/l Fresh water | Fish - Pimephales promelas - Embryo | 63 days |
| pyrithione zinc | Acute EC50 0,51 µg/l Marine water | Algae - Thalassiosira pseudonana | 96 hours |
| | Acute EC50 38 µg/l Fresh water | Crustaceans - Ilyocypris dentifera | 48 hours |
| | Acute EC50 80 µg/l Fresh water | Crustaceans - Chydorus sphaericus | 48 hours |
| | Acute EC50 8,25 ppb Fresh water Acute EC50 61 µg/l Fresh water | Daphnia spec Daphnia magna Daphnia spec Daphnia | 48 hours 48 hours |
| | Acute LC50 2,68 ppb Fresh water Chronic EC10 0,36 μg/l Marine water | magna - Nauplii Fish - Pimephales promelas Algae - Thalassiosira | 96 hours 96 hours |
| | | pseudonana | |
| diuron (ISO) | Chronic NOEC 2,7 ppb Marine water Acute EC50 2,26 µg/l Marine water | Daphnia spec Daphnia magna Algae - Coccolithus huxleyi - Exponential growth phase | 21 days 72 hours |
| | Acute EC50 0,0007 mg/l Fresh water | Algae - Pseudokirchneriella subcapitata | 96 hours |
| | Acute EC50 1000 µg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 380 µg/l Fresh water | Crustaceans - Gammarus Iacustris | 48 hours |
| | Chronic NOEC 0,54 µg/l Marine water | Algae - Coccolithus huxleyi - Exponential growth phase | 72 hours |
| | Chronic NOEC 33,4 µg/l Fresh water | Fish - Pimephales promelas - Embryo | 63 days |

Conclusion/Summary

: Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|---|-------------------|------------|------------------|
| Zinsser UK812.P (fZN7201001 fZN7201005N fZN7201008) | - | - | Inherent |

12.3 Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| diuron (ISO) | 2,84 | 5,2 | low |
| pyrithione zinc | 0,9 | 11 | low |
| diuron (ISO) | 2,84 | 5,2 | low |

12.4 Mobility in soil

-

SECTION 12: Ecological information

| Soil/water partition : | |
|------------------------|-----|
| coefficient (Koc) | |
| Mobility | : N |

Not available.

: Nonvolatile liquid.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance.

13.1 Waste treatment methods

| Product | |
|-------------------------|--|
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
| Hazardous waste | : Yes. |
| Disposal considerations | Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority. |

European waste catalogue (EWC)

The European Waste Catalogue classification of this product, when disposed of as waste, is:

| Waste code | Waste designation |
|-------------------------|---|
| 08 01 11* | waste paint and varnish containing organic solvents or other hazardous substances |
| Packaging | |
| Methods of disposal | The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| Disposal considerations | Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions. |
| Special precautions | : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |

SECTION 14: Transport information

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | IATA |
|------------------------------------|----------------|----------------|----------------|----------------|
| 14.1 UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | - | - | - |
| 14.3 Transport hazard class(es) | - | - | - | - |
| 14.4 Packing group | - | - | - | - |
| 14.5 Environmental hazards | No. | No. | No. | No. |
| Additional information | - | - | - | - |

```
user
```

14.6 Special precautions for : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

| Annex XVII - Restrictions | 1 | Not applicable. |
|---------------------------|---|-----------------|
| on the manufacture, | | |
| placing on the market | | |
| and use of certain | | |
| dangerous substances, | | |

mixtures and articles

Other EU regulations

| VOC | The provisions of Directive 2004/42/EC on VOC apply to this product. Refer to the |
|-----|---|
| | product label and/or technical data sheet for further information. |

| VOC for Ready-for-Use | : IIA/e. Interior/exterior trim varnishes and woodstains, including opaque woodstains. |
|-----------------------|--|
| Mixture | EU limit value for this product : 130g/l (2010.) |
| | This product contains a maximum of 80 g/l VOC. |

Europe inventory : All components are listed or exempted.

| Product/ingredient name | Carcinogenic effects | Mutagenic effects | Developmental effects | Fertility effects |
|-------------------------|-------------------------|-------------------|--------------------------|-------------------|
| diuron (ISO) | Carc. 2, H351 | - | - | - |

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Date of issue/Date of revision

SECTION 15: Regulatory information

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

| National regula | |
|----------------------|--|
| | The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work. |
| References | : EH40/2005 Workplace exposure limits Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2016/918 |
| International reg | <u>gulations</u> |
| Chemical Weap | on Convention List Schedules I, II & III Chemicals |
| Not listed. | |
| Montreal Protoc | col (Annexes A, B, C, E) |
| Not listed. | |
| Stockholm Con | vention on Persistent Organic Pollutants |
| Not listed. | |
| Rotterdam Conv | vention on Prior Informed Consent (PIC) |
| Not listed. | |
| UNECE Aarhus | Protocol on POPs and Heavy Metals |
| Not listed. | |
| CN code : | 3209 10 00 |
| | |

International lists

| National inventory | | |
|---------------------------------|---|--|
| Australia | 1 | At least one component is not listed. |
| Canada | : | Not determined. |
| China | : | Not determined. |
| Japan | 1 | Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined. |
| Malaysia | : | Not determined |
| New Zealand | : | Not determined. |
| Philippines | : | At least one component is not listed. |
| Republic of Korea | 1 | Not determined. |
| Taiwan | 1 | At least one component is not listed. |
| Turkey | 1 | Not determined. |
| United States | : | Not determined. |
| Thailand | : | Not determined. |
| Viet Nam | : | Not determined. |
| 15.2 Chemical safety assessment | : | No Chemical Safety Assessment has been carried out. |

SECTION 16: Other information

Indicates information that has changed from previously issued version.

| | 5 1 5 |
|-------------------|---|
| Abbreviations and | : ATE = Acute Toxicity Estimate |
| acronyms | CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. |
| - | 1272/2008] |
| | DMEL = Derived Minimal Effect Level |
| | DNEL = Derived No Effect Level |
| | EUH statement = CLP-specific Hazard statement |
| | PBT = Persistent, Bioaccumulative and Toxic |
| | PNEC = Predicted No Effect Concentration |
| | RRN = REACH Registration Number |
| | vPvB = Very Persistent and Very Bioaccumulative |
| | • • |

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification | |
|-------------------------|-----------------|--|
| Aquatic Chronic 3, H412 | Expert judgment | |

Full text of H-phrases referred to in sections 2 and 3

| Full text of abbreviated H statements | : | H301 H302 H318 H331 H351 H373 H400 H410 H412 | Toxic if swallowed. Harmful if swallowed. Causes serious eye damage. Toxic if inhaled. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. |
|---|---|---|---|
| Full text of classifications [CLP/GHS] | : | Acute Tox. 3, H301 Acute Tox. 3, H331 Acute Tox. 4, H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Aquatic Chronic 3, H412 Carc. 2, H351 Eye Dam. 1, H318 STOT RE 2, H373 | ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (inhalation) - Category 3 ACUTE TOXICITY (oral) - Category 4 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 CARCINOGENICITY - Category 2 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2 |
| Date of printing | : | 8/07/2019 | |
| Date of issue/ Date of revision | : | 4/07/2019 | |
| Date of previous issue | : | 4/07/2019 | |
| Version | 1 | 3.01 | |

Notice to reader

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.